



Evyap Sabun Malaysia Sdn Bhd

Evyap Oleo 0810 HS

Caprylic - Capric Acid Blend (Heat Stable)

Product Data Sheet

CAS No. 68937-75-7

EINECS No. 273-086-2

Parameter	Unit	Specification
Appearance at 30 Deg. C	Description	Clear liquid, free of foreign matter
Colour, Lovibond, Max	In 5, ¼" Cell	Y = 3.0, R = 0.8
Acid Value	mg KOH/Gm	348-367
Sap. Value	mg KOH/Gm	349-368
Iodine Value	Gms I ₂ / 100 Gms	0.5 Max
Titre	°C	8.0 Max
Heat Stability, AOCS, (Under N ₂ , 205 °C, 2 hrs)	Y+10R In 5, ¼" Cell	25 Max
Fatty Acid Composition	Unit	Specification

C 6	% by GC	0.5 Max
C 8	% by GC	45 - 65
C10	% by GC	35 - 55
C 12	% by GC	1.5 Max

The above chart indicates typical available specifications. Customised specifications are also available.

APPLICATIONS

Preparation of food ingredients, pharmaceutical additive, flavour diluent, medium chain triglycerides, customised fats for medical applications, esters and surfactants for cosmetics and personal care applications, surfactants for agriculture, ore flotation and fire extinguisher applications. Production of flavour and perfumery compounds.

PACKING

Available in standard 180 kg MS/HDPE drums, bulk ISO containers and road tankers.

BEST BEFORE

12 months from the date of manufacturing in original containers, stored under standard conditions.

CERTIFICATIONS

This product is Kosher certified by OK Kosher Certification (USA) & Halal certified by JAKIM (MALAYSIA). This product is manufactured in facility certified as per ISO 9001:2015, FSSC 22000, GMP+B2 by Lloyd's Register Quality Assurance and RSPO Supply Chain MB Certification Standard certified by SIRIM (MALAYSIA), Certificate Number: RSPO-SC 00157. REACH registration number: 01-2119555294-36-0022.

Evyap Sabun Malaysia Sdn Bhd

PLO 70, Jalan Nibong 4, Tanjung Langsat Industrial Complex, 81700 Pasir Gudang, Johor Darul Takzim, Malaysia.

Telephone: +607 252 7000; Fax: +607 252 0777,

Website: www.evyapoleo.com

E-mail: ESMSales@evyap.com.tr

Information contained in this publication is true and accurate to the best of our knowledge. The nominal values stated here are obtained using laboratory test specimens. Evyap Sabun Malaysia and its affiliated companies do not accept any liability whatsoever arising from the use of this information or the use, application or processing of any product described herein. No information contained in this publication can be considered as a suggestion to infringe patents. The company disclaims any liability that may be claimed for infringement or alleged infringement of patents