



Evyap Sabun Malaysia Sdn Bhd

Evyap Oleo Glycerine USP

Glycerine 99.7% USP

Product Data Sheet

CAS No. 56-81-5

EINECS No. 200-289-5

Parameter	Specification
Appearance	Colorless, clear liquid, free from foreign matter
Specific Gravity (at 25 °C)	1.2612 Min
Colour, APHA	5.0 Max
Residue on ignition	0.01% by wt., Max
Sulphates	20.0 ppm, Max
Chloride	10.0 ppm, Max
Heavy Metals	5.0 ppm, Max
Limit of Chlorinated Compounds	30.0 ppm
Fatty Acids & Esters, ml of 0.5N NaOH	1.0 Max
Assay	99.7 % by wt. Min
Water	0.3 % Max
Related Compounds	1.0 % Max

The above chart indicates typical available specifications. Product conforms to European Pharmacopoeia and US Pharmacopoeia. Customised specifications are also available upon request.

APPLICATIONS

Pharmaceuticals, food industry, cosmetics, beverages, tobacco, esters, textiles, coatings resins, and alkyd resins

PACKING

Available in standard bulk tankers / ISO tank / flexi bags / HDPE drums / MS lined drums. Customised packing size also available upon request.

BEST BEFORE

36 months from the date of manufacturing in original containers, stored under standard conditions.

HANDLING & STORAGE

Store in sealed containers in a cool and dry place, away from heat, strong acids and oxidising agents

CERTIFICATIONS

This product is Kosher certified by OK Kosher Certification (USA) & Halal certified by JAKIM (MALAYSIA). This product is manufactured in facility certified as per ISO 9001:2015, FSSC 22000, GMP+B2 by Lloyd's Register Quality Assurance and RSPO Supply Chain MB Certification Standard certified by SIRIM (MALAYSIA), Certificate Number: RSPO-SC 00157.

Evyap Sabun Malaysia Sdn Bhd

PLO 70, Jalan Nibong 4, Tanjung Langsat Industrial Complex, 81700 Pasir Gudang, Johor Darul Takzim, Malaysia.

Telephone: +607 252 7000; Fax: +607 252 0777,

Website: www.evyapoleo.com

E-mail: ESMSales@evyap.com.tr

Information contained in this publication is true and accurate to the best of our knowledge. The nominal values stated here are obtained using laboratory test specimens. Evyap Sabun Malaysia and its affiliated companies do not accept any liability whatsoever arising from the use of this information or the use, application or processing of any product described herein. No information contained in this publication can be considered as a suggestion to infringe patents. The company disclaims any liability that may be claimed for infringement or alleged infringement of patents